



Achieve Your Ideas.

How often we have design, engineering and manufacturing to solve value problems is increased that include computer, computer peripherals, business equipment, home entertainment and telecommunications.

MEC Dongle Product




USA to Giga LAN

Input	USB 3.0 A type Male	Output	RJ45 Female
-------	---------------------	--------	-------------

Features

- Support USB 3.0
- Support Gigabit Ethernet
- Bus Powered
- Operation Temperature : 0~40°C
- 60.8(L) x 20.8(W) x 15(H)mm
- Cable 69mm
- Compliance CE/FCC





Achieve Your Ideas.

How often we have design, engineering and manufacturing to solve
today's problems is changing. We include computer, computer peripherals,
business equipment, home entertainment and telecommunications.

MEC Dongle Product



Type C to HDMI 2.0

Input

USB 3.1 type C Male



Output

HDMI 2.0 Female

Features

- Support VESA USB type C Display Port Alt Mode
- up to 4K2K @60 Fps Resolution
- Bus Powered
- Operation Temperature : 0~40°C
- 135(L) x 25(W) x 11(H)mm
- Cable 35.05mm
- Compliance CE/FCC

4K



知識 視野·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution



Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
...value products in various fields: mobile computer, computer peripherals,
business equipment, home entertainment and more.

MEC Dongle Product



Type C to HDMI 1.4 + USB 3.0 + Type C (U3)

Input


USB 3.1 type C Male

Output

HDMI + U3 + Type C Female

Features

- Support VESA USB type C Display Port Alt Mode
- up to 3840 x 2160 @30 Hz Resolution
- Support 5Gbps and BC1.2 downstream for U3 conn
- Support 5Gbps, PD3.0 upstream and BC1.2 downstream for type C conn
- Bus Powered
- Operation Temperature : 0~40 °C
- 78.7(L) x 53.58(W) x 13(H)mm
- Cable 78mm
- Compliance CE/FCC



序·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution



Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
...products is connected with desktop computer, computer peripherals,
business equipment, home entertainment and telecommunications.

MEC Dongle Product





HDMI 1.4 to VGA

Input	HDMI Male	Output	D-Sub Female
-------	-----------	--------	--------------

Features

- Support HDMI 1.4b spec
- up to 1080P Resolution
- Bus Powered
- Operation Temperature : 0~40°C
- 47.25(L) x 31(W) x 16.8(H)mm
- Compliance CE/FCC



價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution



Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
...products is increased that include computer, computer peripherals,
business equipment, home entertainment and telecommunications.

MEC Dongle Product



Type C to VGA

Input


USB 3.1 Type C Male

Output

D-Sub Female

Features

- Support VESA USB type C Display Port Alt Mode
- up to 1080P Resolution
- Bus Powered
- Operation Temperature : 0~40°C
- 51.5(L) x 26(W) x 13(H)mm
- Cable 98.5mm
- Compliance CE/FCC





Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
value products is increased that include computer, computer peripherals,
business equipment, home entertainment and telecommunications.

MEC Dongle Product



Type C to HDMI 1.4 + VGA + LAN + USB 3.0 + Type C (U3)

Input

USB 3.1 Type C Male

Output

HDMI + D-Sub + RJ45
+U3 + Type C Female

Features

- Support VESA USB type C Display Port Alt Mode
- up to 3840 x 2160 @30 Hz Resolution for HDMI conn
- up to WUXGA (1920 x 1200 @ 120Hz) or WQXGA (2560 x 1600 RB @ 120Hz) for VGA conn
- Support HDMI/VGA 1080P at the same time
- Support Gigabit Ethernet
- Support 5Gbps and BC1.2 downstream for U3 conn
- Support 5Gbps, PD3.0 upstream and BC1.2 downstream for type C conn
- Bus Powered
- Operation Temperature : 0~40 °C
- 55.8(L) x 102(W) x 14.3(H)mm
- Cable 34.6mm
- Compliance CE/FCC



知識 視野·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution




HDMI 1.4 to VGA

Input	HDMI Male	Output	D-Sub Female
-------	-----------	--------	--------------

Features

- Support HDMI 1.4b spec
- up to 1080P Resolution
- Bus Powered
- Operation Temperature : 0~40°C
- 47.25(L) x 31(W) x 16.8(H)mm
- Compliance CE/FCC





Achieve Your Ideas.

How often we have design, engineering and manufacturing to solve
today's problems is changing. Not unlike computer, computer peripherals,
business equipment, home electronics and telecommunications.

MEC Dongle Product



USB Type C QC 3.0 Car Charger

Input


Car DC/12V Battery

Output

Type C Female

Features

- Support QC2.0/QC3.0 spec
- Support PE+1.1/PE+2.0 spec
- Support FCP spec
- Car DC/12V-16V Battery
- Operation Temperature : 0~40°C
- 63.5(L) x 33(W) x 25.5(H)mm
- Compliance CE/FCC





Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
...products is increased that include computer, computer peripherals,
business equipment, home electronics and telecommunications.

MEC Dongle Product



USB Type C + USB 3.0 + Micro B for SD 4.0 Card Reader

Input



Micro SD 4.0 Conn

Output

Type C + USB 3.0 + Micro
USB Male

Features

- Support USB3.1 Gen 1 spec for type C conn
- Support USB3.0/2.0 spec for USB3.0 & micro USB conn
- Support OTG spec for type C & micro USB conn
- Bus Powered
- Operation Temperature : 0~40°C
- 59.7(L) x 24(W) x 9.5(H)mm
- Compliance CE/FCC



知識 視野·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution



Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
...where products is connected with mobile computer, computer peripheral,
business equipment, home entertainment and telecommunication.

MEC Dongle Product



USB Type C to 4 x USB3.1 Type A Hub

Input

USB 3.1 Type C Female

Output

USB 3.1 Type A Female

Features

- Type C USB3.1 Gen 2 Super Speed Plus
- Support USB Battery Charging 1.2
- Support Vendor Specific Charging Modes
- Support Stand Alone Charging
- Bus Powered
- Operation Temperature : 0~40°C
- 46.1(L) x 46.7(W) x 23.8(H)mm
- Compliance CE/FCC



知識 視野·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution



Achieve Your Ideas.

How often we have design, engineering and manufacturing to solve
today's problems is changing. The industry is changing. Computer peripherals,
business equipment, home electronics and more.

MEC Dongle Product



USB Type C to Audio

Input

USB 3.1 Type C Male

Output

Audio Jack

Features

- Support VESA USB Type C Display Port Alt Mode
- Support DAC 24 bit / 192K sampling rates
- Bus Powered
- Operation Temperature : 0~40°C
- Compliance CE/FCC



知識 視野·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution



Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
...value products in various fields such as computer, computer peripherals,
business equipment, home electronics and telecommunications.

MEC Dongle Product



USB Type C to Audio + Power Charger + Switch

Input

USB 3.1 Type C Male

Output

Audio Jack + Button +
Type C Female

Features

- Support ADC 16/24 bit 192K Sampling Rates
- Support DAC 16/24 bit / 192 KHz Sampling Rates
- Support Headphone Cable Control Camera Function
- Support Power Delivery 3.0 & Quick Charging (5V/3A)
- Operation Temperature : 0~40°C
- 65(L) x 50(W) x 13.5(H)mm
- Compliance CE/FCC



知識 視野·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution



USB Type C to Audio + Power Charger

Input

USB 3.1 Type C Male

Output

Audio Jack + Type C
Female

Features

- Support ADC 16/24 bit 192K Sampling Rates
- Support DAC 16/24 bit / 192 KHz Sampling Rates
- Support Power Delivery 3.0 & Quick Charging (5V/3A)
- Operation Temperature : 0~40°C
- 26(L) x 64(W) x 8.3(H)mm
- Compliance CE/FCC





Achieve Your Ideas.

How often we receive design, engineering and manufacturing services...
value products is increased that include computer, computer peripherals,
business equipment, home electronics and more.

MEC Dongle Product



USB Type C to USB Type C (Audio + Power Charger)

Input

USB 3.1 Type C Male

Output

Audio Jack

Features

- Support ADC 16/24 bit 192K Sampling Rates
- Support DAC 16/24 bit / 192 KHz Sampling Rates
- Support Power Delivery 3.0 & Quick Charging (5V/3A)
- Support USB2.0 data rate
- Operation Temperature : 0~40°C
- Compliance CE/FCC



知識 視野·價值 態度·承諾 執行力

Knowledge·Vision·Value·Attitude·Commitment·Execution